

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Merge 3-in-1 Jacket. J338

Product photo



With clean, simple styling, this water-repellent, wind-resistant 3-in-1 merges good looks and customizable weather protection. The colorblock shell and full microfleece inner jacket can be layered together or worn separately, letting you fully adapt to the elements.

- 100% polyester shell with 100% polyester lining
- 6.5-ounce, 100% polyester microfleece zip-in inner jacket
- Adjustable 3-panel hood with adjustable locking drawcord
- Full-length interior storm flap with chin guard
- Molded zippered chest pocket with welding detail
- Front molded zippered pockets
- Adjustable tab cuffs with hook and loop closures
- Port Pocket™ for decoration access
- Shell has open hem with adjustable locking drawcord
- Inner jacket has front slash pockets and cuff binding

Sketches



front



back

CARE INSTRUCTIONS

Machine wash cold with like colors. Do not bleach or use fabric softener. Tumble dry low. Remove promptly. Do not iron. Do not dry clean.

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Merge 3-in-1 Jacket. J338

PRODUCT MEASUREMENTS

	XS	S	M	L	XL	2XL	3XL	4XL
Body Length at Back	28 1/2	29 1/2	30 1/2	31 1/2	32 1/2	33 1/2	34	34 1/2
Chest	20 1/2	22	23 1/2	25	26 1/2	28	30	32
Sleeve Length from Center Back	35 1/4	36	36 3/4	37 1/2	38 1/4	39	39 3/4	40 1/2

Body Length at Back: Measured from high point shoulder to finished hem at back.

Chest: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

SIZE CHARTS

	XS	S	M	L	XL	2XL	3XL	4XL
Chest	32-34	35-37	38-40	41-43	44-46	47-49	50-53	54-57

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Merge 3-in-1 Jacket. J338

HOW TO MEASURE



CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

COLORS



Deep Black
PMS BLACK
C



Dress Blue
Navy/ Grey
Steel
PMS 533 C



Rogue Grey/
Grey Steel
PMS 425 C