

SPEC SHEET + MEASUREMENTS



OGIO® Foam Trucker. OG605

Product photo



- 86/14 poly/spandex front panels
- 100% poly spacer mesh mid and back panels
- Lightly structured
- Mid-profile
- Slightly curved bill
- Translucent black silicone O tab
- 7-position adjustable snapback closure

Sketches



front



back

SPEC SHEET + MEASUREMENTS



OGIO® Foam Trucker. OG605

PRODUCT MEASUREMENTS

OSFA

Bill/Visor Length	2 3/4
-------------------	-------

Crown Height	6 3/4
--------------	-------

Width of Front Panel(s)	7 3/4
-------------------------	-------

Bill/Visor Length: Measure from outside edge of bill to crown seam at center front.

Crown Height: Measure from middle of button at top, to brim seam along center front.

Width of Front Panel(s): Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

SIZE CHARTS

OSFA

Hat Size	6 5/8- 8
----------	----------

Head Size	20 7/8- 25 1/8
-----------	----------------

SPEC SHEET + MEASUREMENTS



OGIO® Foam Trucker. OG605

HOW TO MEASURE

HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head. Divide number by 3.14 for hat size.

COLORS



Blacktop/
Blacktop
PMS BLACK
C



Gear Grey/
Blacktop
PMS 7540C



River Blue
Navy/ River
Blue Navy
PMS 533C